

Order: (888)-282-5810 (Phone) (818)-707-0392 (Fax) order@abiocode.com Web: www.Abiocode.com

# SIRT1 (N2) Antibody, Rabbit Polyclonal

Cat#: R2345-3 Quantity: 100 ul Predicted I Observed M.W.: 82 I 120-140 kDa Lot#: Refer to vial Application: WB Uniprot ID: Q96EB6

## **Background:**

SIRT is a member of the sirtuin family of proteins, homologs to the yeast Sir2 protein. Members of the sirtuin family are characterized by a sirtuin core domain and grouped into four classes. The functions of human sirtuins have not yet been determined; however, yeast sirtuin proteins are known to regulate epigenetic gene silencing and suppress recombination of rDNA. Studies suggest that the human sirtuins may function as intracellular regulatory proteins with mono-ADP-ribosyltransferase activity.

## Other Names:

NAD-dependent protein deacetylase sirtuin-1, hSIRT1, Regulatory protein SIR2 homolog 1, SIR2-like protein 1, hSIR2, SIR2L1, Cleaved into the SirT1 75 kDa fragment, 75SirT1

#### Source and Purity:

Rabbit polyclonal antibodies were produced by immunizing animals with a GST-fusion protein containing the N-terminal region of mouse SIRT1. Antibodies were purified by affinity purification using immunogen.

## **Storage Buffer and Condition:**

Supplied in 1 x PBS (pH 7.4), 100 ug/ml BSA, 40% Glycerol, 0.01% NaN<sub>3</sub>. Store at -20 °C. Stable for 6 months from date of receipt.

## **Species Specificity:**

Human, Mouse

#### **Tested Applications:**


WB: 1:1,000-1:3,000 (detect endogenous protein\*)

\*: The apparent protein size on WB may be different from the calculated M.W. due to modifications.



## **Product Data:**

.



**Fig 1.** Western blot of total cell extracts from (A) mouse thymus, (B) human HeLa; using anti-SIRT1 (N2) (R2345-3) at RT for 2 h.