



Order: (888)-282-5810 (Phone)
(818)-707-0392 (Fax)
order@abiocode.com
Web: www.Abiocode.com

PJA2 (C) Antibody, Rabbit Polyclonal

Cat#: R2132-2

Quantity: 100 ul

Predicted | Observed M.W.: 78 | 100 kDa

Lot#: Refer to vial

Application: WB

Uniprot ID: O43164

Background:

E3 ubiquitin-protein ligase Praja-2 (PJA2) contains a RING-type zinc finger domain and has E2-dependent E3 ubiquitin-protein ligase activity. PJA2 is responsible for ubiquitination of cAMP-dependent protein kinase type I and type II-alpha/beta regulatory subunits and for targeting them for proteasomal degradation. PJA2 is essential for PKA-mediated long-term memory processes.

Other Names:

E3 ubiquitin-protein ligase Praja-2, Praja2, RING finger protein 131, KIAA0438, Neurodap1, RNF131

Source and Purity:

Rabbit polyclonal antibodies were produced by immunizing animals with a GST-fusion protein containing the C-terminal region of human PJA2. Antibodies were purified by affinity purification using immunogen.

Storage Buffer and Condition:

Supplied in 1 x PBS (pH 7.4), 100 ug/ml BSA, 40% Glycerol, 0.01% NaN₃. Store at -20 °C. Stable for 6 months from date of receipt.

Species Specificity:

Human

Tested Applications:

WB: 1:1,000-1:3,000 (detect endogenous protein*)

*: The apparent protein size on WB may be different from the calculated M.W. due to modifications.

Product Data:




Fig 1. Western blot of total cell extracts from (A, C) human HeLa, (B) human Jurkat; using 2 independent Abs against 2 distinct regions of human PJA2 at RT for 2 h.