

# CBFA2T3 (vPair<sup>™</sup>) Antibodies

Cat#: R2695-vp Predicted I Observed M.W.: 71 I 80 kDa Application: WB Lot#: Refer to vial Uniprot ID: 075081

Quantity:50 ul CBFA2T3 (N) (R2695-1) Rabbit Polyclonal Antibody &<br/>50 ul CBFA2T3 (C) (R2695-2) Rabbit Polyclonal Antibody

# **Product Introduction:**

vPair<sup>™</sup> antibodies represent a pair of fully characterized antibodies that recognize two different regions of a target protein. The product is developed by Abiocode to address whether the signal observed truly represents the protein of interest, an often encountered issue in antibody-based assays. The use of a pair of fully characterized vPair<sup>™</sup> antibodies in the same assay can validate signal specificity since vPair<sup>™</sup> antibodies recognize two independent epitopes of the same protein. Different sets of vPair<sup>™</sup> antibodies are developed at Abiocode to work with specific applications, including antibody arrays, Western blot, IP-Western, ChIP, IHC, and FACS.

### Background:

CBFA2T3 functions as a transcriptional repressor. CBFA2T3 regulates the proliferation and the differentiation of erythroid progenitors by repressing the expression of TAL1 target genes. CBFA2T3 plays a role in granulocyte differentiation. The isoform 2 of CBFA2T3 functions as an A-kinase-anchoring protein.

#### **Other Names:**

Protein CBFA2T3, MTG8-related protein 2, Myeloid translocation gene on chromosome 16 protein, MTG16, Zinc finger MYND domain-containing protein 4, MTGR2, ZMYND4

### Source and Purity:

Rabbit polyclonal antibodies were produced by immunizing animals with GST-fusion proteins containing either the N-terminal [CBFA2T3 (N) (R2695-1)] or the C-terminal [CBFA2T3 (C) (R2695-2)] region of human CBFA2T3. Antibodies were purified by affinity purification using immunogen.

### Storage Buffer and Condition:

Supplied in 1 x PBS (pH 7.4), 100 ug/ml BSA, 40% Glycerol, 0.01% NaN<sub>3</sub>. Store at -20 °C. Stable for 6 months from date of receipt.



# **Species Specificity:**


Human, Mouse

# **Tested Applications:**

WB: 1:1,000-1:3,000 (detect endogenous protein\*)

\*: The apparent protein size on WB may be different from the calculated M.W. due to modifications.

# Product Data:



**Fig 1.** Western blot of total cell extracts from A, D) human HeLa, B, E) human Jurkat, C) mouse thymus; using 2 independent Abs against 2 distinct regions of human CBFA2T3 at RT for 2 h.